

From Carbon to Clarity: The Diamond Model of Epigenetic Healing in Population Health

Verda Tunaligil¹, Gulsen Meral²

Abstract

The *Diamond Model of Epigenetic Healing* is a conceptual framework linking epigenetic adaptation with population-level resilience. Drawing on the metaphor of carbon's transformation into diamond under stress, the model emphasizes that environmental and social stressors leave measurable epigenetic marks, but targeted interventions can modulate or reverse harmful modifications, termed "epigenetic healing." This research note summarizes the model, synthesizes supporting evidence, and proposes directions for integrating molecular indicators into public health strategies. Interventions such as prenatal care, nutrition, trauma-informed services, pollution remediation, and social equity policies can produce measurable improvements in epigenetic profiles and downstream health outcomes. Identifying epigenetic markers as population-level indicators reframes prevention to include molecular restoration. Key next steps include community intervention trials with pre/post epigenetic measures, longitudinal cohort analyses linking social determinants with molecular change, and policy evaluation incorporating epigenetic outcomes. Recognizing epigenetic healing reorients public health toward active restoration, supporting longer, healthier lives and improved biological resilience across generations.

Keywords: Public health; epigenomics; genotype; precision medicine; psychological resilience; therapeutics

How to cite this article: Tunaligil V, Meral G. From Carbon to Clarity: The Diamond Model of Epigenetic Healing in Population Health. Pak J Public Health. 2025 Dec 24;15(4):102-4.

DOI: <https://doi.org/10.32413/pjph.v15i4.1986>

Copyright © 2025 The Author(s). Published by Health Services Academy. This is an Open Access article under the CC BY-NC 4.0 license.



Introduction

Health is shaped not only by inherited deoxyribonucleic acid (DNA). The gene-environment interface governs how nutritional, psychosocial, and toxic exposures modify gene expression via epigenetic mechanisms such as DNA methylation and histone modifications (1,2). These changes can persist across the lifespan and, in some cases, across generations (3). Evidence suggests that interventions, improved nutrition, reduced toxicant exposure, psychosocial supports, and trauma-informed care, can alter epigenetic marks in ways associated with better health outcomes (4,5). Framing these processes as epigenetic healing demonstrates reversible adaptive potential at the molecular level, bridging biology and public health action.

The Diamond Model: Concept and Framing

The Diamond Model draws a parallel between carbon's transformation into diamond under extreme pressure and the biological response to adversity. Stressors impose "pressure" leaving epigenetic imprints; under supportive conditions, these imprints can be modulated toward improved physiological regulation (Table 1).

The model emphasizes the three domains of exposure, intervention, and outcome (Figure 1).

- 1. Exposure: Pressure:** Social determinants such as poverty and discrimination, environmental harms such as pollution and toxicants, psychological stresses that create adverse epigenetic signatures.
- 2. Intervention: Catalysts for Healing:** Targeted actions such as maternal/early-life nutrition, mental-health interventions, environmental remediation, and supportive social policies promote beneficial modulation of epigenetic marks.
- 3. Outcome: Clarity.** Measurable improvements in epigenetic markers correlate with better clinical, developmental, and psychosocial outcomes; population-level resilience manifests as reduced disease burden and intergenerational benefit

¹ Health Directorate of Istanbul, Republic of Turkey Ministry of Health, Istanbul, Turkey

² Epigenetic Coaching, London, United Kingdom
Nisantasi University, Istanbul, Turkey

Correspondence:

Verda Tunaligil
verda@post.harvard.edu

Submitted: 30-10-2024

Accepted: 03-11-2025

Published: 24-12-2025

Table 1: The stages, mechanisms, interventions, and population health impacts of the *Diamond Model of Epigenetic Healing*.

Diamond Model Stage	Key Concept	Mechanism / Epigenetic Basis	Example Interventions	Population Health Impact
Pressure (Exposure)	Environmental & social stress	Adverse DNA methylation, histone modification, non-coding RNA changes	Poverty alleviation, pollution reduction, psychosocial support	Identifies at-risk populations, informs prevention strategies (1-3)
Epigenetic Changes	Molecular imprint of adversity	Stress-induced gene expression changes	N/A (measurement stage)	Biomarkers for health monitoring, early warning of risk (1-3)
Catalysts for Healing (Intervention)	Supportive actions to reverse harmful marks	Modulation of epigenetic signatures toward adaptive patterns	Nutrition, trauma-informed care, mental health support, social policies	Improves resilience and health outcomes, reduces intergenerational transmission of risk (4-6)
Epigenetic Healing	Restoration at molecular level	Reversal or beneficial remodeling of DNA/histone modifications	N/A (result of interventions)	Measurable improvement in biomarkers; tracks intervention effectiveness (4-6)
Clarity / Population-Level Resilience	Observable benefits across the population	Stabilization of adaptive epigenetic patterns	Policy implementation, community programs	Reduced disease burden, improved psychosocial well-being, intergenerational health gains (3-6)




Figure 1: Diagram of the Diamond Model of Epigenetic Healing: Pressure → Epigenetic Changes → Intervention → Epigenetic Healing → Population-Level Resilience.

Evidence Base and Public Health Implications

Empirical studies document links between exposures and epigenetic changes (1,2), multigenerational transmission following environmental exposures (3), and potential for interventions to produce positive epigenetic and health effects (4,5). Nutritional pathways are particularly amenable to public-health intervention (6). Public health programs can incorporate epigenetic endpoints where feasible (Table 1).

- Use epigenetic biomarkers as complementary outcome measures in community intervention trials.
- Prioritize policies with multi-level effects impacting epigenetic pathways.
- Develop surveillance systems to pilot molecular indicators ethically and logistically.

Policy and Ethical Considerations

Incorporating epigenetic endpoints into public health

interventions requires careful attention to ethics and equity. Policies should ensure that interventions benefiting molecular health are accessible to all populations, minimizing the risk of exacerbating social disparities. Consent, data governance, and privacy safeguards must be rigorously applied, particularly when collecting biological samples at a population level. Communication strategies should avoid stigmatization based on epigenetic profiles and emphasize the reversibility and adaptive potential of epigenetic marks. Integrating these considerations strengthens both scientific rigor and societal relevance of public health strategies focused on molecular-level outcomes.

Suggested Research Directions

1. **Intervention trials:** Cluster or community randomized trials with baseline and follow-up epigenetic profiling.
2. **Longitudinal cohorts:** Integrate social-determinant measures with serial epigenetic sampling.
3. **Policy evaluation:** Natural experiments with population epigenetic sampling to assess broad impacts.
4. **Ethics and equity:** Address consent, data governance, and equitable distribution of benefits.

Conclusion

The *Diamond Model of Epigenetic Healing* provides a compact, policy-relevant framework illustrating how public health actions can produce measurable molecular recovery. Recognizing epigenetic healing reorients prevention toward active restoration, supporting healthier lives and intergenerational resilience.

Acknowledgement

Technology Assistance: The research, from conceptualization to conclusion, was conducted entirely by the authors. Minimal assistance from OpenAI GPT-4o was used solely for formatting, paragraphing, sectioning, reference standardization, synonym suggestions, and correction of minor typographical errors, with no use for content generation.

Ethical Approval:

Not Applicable

Data Availability: Data supporting the findings are available upon reasonable request.

Financial support and sponsorship: None

Conflict of interest: The authors declare that they have no conflict of interest.

Authors' Contribution:

VT: Conceptualization, study design, literature critical review, drafted the article.

GM: Interpretation, final revision.

References

1. Rozek LS, Dolinoy DC, Sartor MA, Omenn GS. Epigenetics: Relevance and implications for public health. *Annu Rev Public Health*. 2014;35:105-122. doi:10.1146/annurev-publhealth-032013-182513
2. Meral G, Tunaligil V. Advancing public health through nutrigenetics and microbiota in early life: Initiating longevity in childhood. *J Palliat Care Res Rep*. 2025;3(3):1-10.
3. Klibaner-Schiff E, Simonin EM, Akdis CA, Cheong A, Johnson MM, Karagas MR, Kirsh S, Kline O, Mazumdar M, Oken E, Sampath V, Vogler N, Wang X, Nadeau KC. Environmental exposures influence multigenerational epigenetic transmission. *Clin Epigenetics*. 2024;16(1):145. doi:10.1186/s13148-024-01762-3
4. Collins N, Phillips N, Reich L, Milbocker K, Roth TL. Epigenetic consequences of adversity and intervention throughout the lifespan: Implications for public policy and healthcare. *Adversity Resil Sci*. 2020;1(11). doi:10.1007/s42844-020-00015-5
5. Assis SG, Tavares PH, Oliveira N, Serpeloni F, Avanci JQ. Epigenetics, resilience, protective factors and positive outcomes: A scoping review. *Int J Dev Neurosci*. 2025;85(6):e70042. doi:10.1002/jdn.70042
6. Yeşilirmak F. Nutrition and epigenetic (Beslenme ve epigenetik) [article in Turkish]. *Turk J Health Sci Res (Türkiye Sağlık Bilimleri ve Araştırmaları Dergisi)*. 2023;6(3):104-120. doi:10.51536/tusbad.1401741